

L Number	Hits	Search Text	DB	Time stamp
1	247	((pars\$3 or scan\$4) with (document or file or record or data or information or resume or web or page) with (identify\$3 or represent\$3 or determin\$3 or find\$3 or match\$3 or return\$3) with (person or people or expert or candidate)) and (@ad<20010213)	USPAT; US-PGPUB; IBM_TDB	2004/03/29 14:59
2	140	((pars\$3 or scan\$4) with (document or file or record or data or information or resume or web or page) with (identify\$3 or represent\$3 or determin\$3 or find\$3 or match\$3 or return\$3) with (data or inforamtion) with (person or people or expert or candidate)) and (@ad<20010213)	USPAT; US-PGPUB; IBM_TDB	2004/03/29 15:00
-	302	(identify\$3 with (data or information or image or picture) with (person or individual or people)).ab. and (@ad<20010213)	USPAT; US-PGPUB; IBM_TDB	2003/03/03 10:51
-	7	(identify\$3 with (data or information or image or picture) with represent\$3 with (person or individual or people)).ab. and (@ad<20010213)	USPAT; US-PGPUB; IBM_TDB	2003/03/03 10:52
-	308	((match\$3 or search\$3 or query\$3 or retriev\$3) with (data or information or image or picture) with (person or individual or people)).ab. and (@ad<20010213)	USPAT; US-PGPUB; IBM_TDB	2003/03/03 16:02
-	82	((match\$3 or search\$3 or query\$3 or retriev\$3) with (data or information or image or picture) with (person or individual or people)).ab. and (@ad<20010213)) and (707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)	USPAT; US-PGPUB; IBM_TDB	2003/03/03 10:54
-	37	((match\$3 or search\$3 or query\$3 or retriev\$3) with (data or information or image or picture) with (represent\$3 or identif\$4) with (person or individual or people)).ab. and (@ad<20010213)	USPAT; US-PGPUB; IBM_TDB	2003/03/03 10:55
-	479	((pars\$3 or scan\$4 or search\$3 or read\$3 or match\$3 or identify\$3) with (document or file or record or data or information or resume)) same (person or people or expert)).ab. and (@ad<20010213)	USPAT; US-PGPUB; IBM_TDB	2003/03/04 11:49
-	32	((pars\$3 or scan\$4 or search\$3 or read\$3 or match\$3 or identify\$3) with (document or file or record or data or information or resume)) same (person or people or expert)).ab. and (@ad<20010213)) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/03/04 11:38
-	321	((pars\$3 or scan\$4 or search\$3 or read\$3 or match\$3 or identify\$3) with (document or file or record or data or information or resume)) same ((identify\$3 or represent\$3 or determin\$3 or find\$3 or match\$3 or return\$3) with (person or people or expert or candidate))).ab. and (@ad<20010213)	USPAT; US-PGPUB; IBM_TDB	2003/03/04 12:08
-	36	((pars\$3 or scan\$4 or search\$3 or read\$3 or match\$3 or identify\$3) with (document or file or record or data or information or resume)) same ((identify\$3 or represent\$3 or determin\$3 or find\$3 or match\$3 or return\$3) with (person or people or expert or candidate))).ab. and (@ad<20010213)) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/03/04 11:57

-	547	((pars\$3 or scan\$4 or search\$3 or read\$3 or match\$3 or identify\$3) with (document or file or record or data or information or resume)) same ((identify\$3 or represent\$3 or determin\$3 or find\$3 or match\$3 or return\$3) with (person or people or expert or candidate))) and (@ad<20010213) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/03/04 16:06
-	82	((document or file or record or data or information or resume) with (identify\$3 or represent\$3 or match\$3 or return\$3 or determin\$3) with (person or people or expert or candidate or employ\$3 or worker)).ab. and (@ad<20010213) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/03/04 13:26
-	127	((pars\$3 or scan\$4 or search\$3 or read\$3 or match\$3 or identify\$3) adj5 (document or file or record or data or information or resume) adj5 (identify\$3 or represent\$3 or determin\$3 or find\$3 or match\$3 or return\$3) adj5 (person or people or expert or candidate)) and (@ad<20010213)	USPAT; US-PGPUB; IBM_TDB	2004/03/29 14:56
-	12794	(search\$3 or query\$3 or match\$3 or identify\$3 or retriev\$3).ab. and ((audio\$3 or audible or sound\$3 or visual\$3 or visible or image or picture or link) with (alert\$3 or indicat\$4 or return\$3)) and (@ad<20010213)	USPAT; US-PGPUB; IBM_TDB	2003/03/04 15:52
-	993	((search\$3 or query\$3 or match\$3 or identify\$3 or retriev\$3).ab. and ((audio\$3 or audible or sound\$3 or visual\$3 or visible or image or picture or link) with (alert\$3 or indicat\$4 or return\$3)) and (@ad<20010213)) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/03/04 15:52
-	49	((pars\$3 or scan\$4 or search\$3 or read\$3 or match\$3 or identify\$3) with (document or file or record or data or information or resume)) same ((identify\$3 or represent\$3 or determin\$3 or find\$3 or match\$3 or return\$3) with (person or people or expert or candidate))) and ((return\$3 or insert\$3) with (link or (hyper adj link))) and (@ad<20010213) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/09/01 19:24
-	11	(dynamica\$5 with (modify\$3 or chang\$3 or alter\$3 or add\$3 or insert\$3) with profile) and (@ad<20010213) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/03/04 17:08
-	51	((insert\$3 or add\$3 or associat\$3) with (link or hyperlink or (hyper adj link)) with ((return\$3 or match\$3 or retriev\$3 or find\$3) adj3 (document or file or record or page or profile))) and (@ad<20010213) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/03/04 17:33
-	485	((modify\$3 or chang\$3 or ((insert\$3 or add\$3) nears (link or hyperlink or ((hyper or hypertext) adj link)))) with (document or page or record or file or look or appearance) with (alert\$3 or indicat\$3 or determin\$3 or signal\$3 or identif\$4) with (match\$3 or find\$3 or return\$3 retriev\$3)) and (@ad<20010213) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/03/04 17:51

-	362	((insert\$3 or add\$3) nears (link or hyperlink or ((hyper or hypertext) adj link))) with (document or page or record or file or look or appearance) with (alert\$3 or indicat\$3 or determin\$3 or signal\$3 or identif\$4) with (match\$3 or find\$3 or return\$3 retriev\$3)) and (@ad<20010213) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/03/04 17:54
-	254	((associat\$3 or insert\$3 or add\$3 or connect\$3) with (link or hyperlink or hypertextlink or (hyper adj link) or (hypertext adj link)) with (return\$3 or retriev\$3 or find\$3 or match\$3 or display\$3) with (document or record or file or page or field)) and (@ad<20010213) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/03/05 14:55
-	14	((online with (application or service or chat\$4)) or (instant with messenger)).ab. and (@ad<20010213) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/03/22 15:13
-	76	((identify\$3 or indicat\$3 or show\$3 or represent\$3 or return\$3) with (online or availabl\$5) with (person or people or expert or candidate or individual)) and (@ad<20010213) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/03/05 15:12
-	4	((identify\$3 or indicat\$3 or show\$3 or represent\$3 or return\$3 or determin\$3 or updat\$3) with (online or availabl\$5) with (person or people or expert or candidate or individual)) and ((instant or account) with (messag\$3 or messeng\$3)) and (@ad<20010213) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/03/22 15:12
-	313	((online or instant) with (application or service or chat\$4 or messag\$3 or messang\$3 or messeg\$3 or messeng\$3)).ab. and (@ad<20010213)	USPAT; US-PGPUB; IBM_TDB	2003/03/22 15:16
-	22	((online or instant) with (application or service or chat\$4 or messag\$3 or messang\$3 or messeg\$3 or messeng\$3)).ab. and (@ad<20010213)) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/03/23 18:03
-	31050	((manag\$7 or organiz\$5) with (file or content)) and (@ad<22010202)	USPAT; US-PGPUB; IBM_TDB	2003/03/22 16:37
-	4748	((manag\$7 or organiz\$5) with (file or content)) and (@ad<22010202)) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/03/22 16:38
-	2176	((manag\$7 or organiz\$5) with (file or content)).ab. and (@ad<22010202)	USPAT; US-PGPUB; IBM_TDB	2003/03/22 16:47
-	677	((manag\$7 or organiz\$5) with (file or content)).ab. and (@ad<22010202)) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/03/22 16:47
-	1	((manag\$7 or organiz\$5) with (file or content)).ab. and (@ad<22010202)) and 707/\$.ccls.) and (album).ab.	USPAT; US-PGPUB; IBM_TDB	2003/03/22 16:46
-	1426	((manag\$7 or organiz\$5) with (file or content)).ab. and (@ad<20010202)	USPAT; US-PGPUB; IBM_TDB	2003/03/22 16:47
-	6	((manag\$7 or organiz\$5) with (file or content)).ab. and (@ad<20010202)) and album and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/03/22 17:18
-	2	"6021411"	USPAT; US-PGPUB; IBM_TDB	2003/03/22 17:19
-	1	"6526403"	USPAT; US-PGPUB; IBM_TDB	2003/03/22 17:20
-	1	6078914.pn.	USPAT; US-PGPUB; IBM_TDB	2003/03/22 17:23
-	1	5987457.pn.	USPAT; US-PGPUB; IBM_TDB	2003/03/22 17:23

-	1	6021409.pn.	USPAT; US-PGPUB; IBM_TDB	2003/03/22 17:25
-	1	6427155.pn.	USPAT; US-PGPUB; IBM_TDB	2003/03/22 17:25
-	1	5263160.pn.	USPAT; US-PGPUB; IBM_TDB	2003/03/22 17:26
-	2	faber.in. and 705/8.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/03/22 17:27
-	4	((online or instant) with (application or service or chat\$4 or messag\$3 or messang\$3 or messeg\$3 or messeng\$3)).ab. and (@ad<20010213)) and ((online with status) same (messag\$3 or contact\$3)) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/03/23 18:09
-	240	((pars\$3 or scan\$4 or identify\$3) with (document or file or record or page or resume)) same ((identify\$3 or extract\$3 or determin\$3 or find\$3 or match\$3 or return\$3) with (person\$5 or people or expert or candidate))) and (@ad<20010213) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/09/03 14:45
-	301	((pars\$3 or scan\$4) with (document or file or record or page or resume)) same ((identify\$3 or extract\$3 or determin\$3 or find\$3 or match\$3 or return\$3) with (person\$5 or people or expert or candidate))) and (@ad<20010213)	USPAT; US-PGPUB; IBM_TDB	2003/09/01 19:34
-	59	((pars\$3 or scan\$4 or (look\$3 adj for)) with (name or address or phone or data or information) with (represent\$3 or relat\$3 or associat\$3 or identif\$5) with (person\$5 or people or expert\$2 or candidate\$2)) and ((database or file or record) with (person\$5 or people or expert\$2 or candidate\$2)) and (@ad<20010213) and (707/\$.ccls. or 715/\$.ccls. or 705/\$.ccls. or 345/\$.ccls.)	USPAT; US-PGPUB; IBM_TDB	2003/09/01 20:04
-	107	((pars\$3 or scan\$4 or (look\$3 adj for)) with (name or address or phone or data or information) with (represent\$3 or relat\$3 or associat\$3 or identif\$5) with (person\$5 or people or expert\$2 or candidate\$2)) and (@ad<20010213) and (707/\$.ccls. or 715/\$.ccls. or 705/\$.ccls. or 345/\$.ccls.)	USPAT; US-PGPUB; IBM_TDB	2003/09/01 20:04
-	163	(pars\$3 with (document or file or record or page or resume or picture or photo)) and ((identify\$3 or extract\$3 or find\$3 or match\$3 or return\$3) with (person\$5 or people or expert or candidate) with (name or data or information)) and (@ad<20010213) and (707/\$.ccls. or 715/\$.ccls. or 705/\$.ccls.)	USPAT; US-PGPUB; IBM_TDB	2003/09/03 15:00
-	4	(6073138.pn. or 5963940.pn. or 5333317.pn. or 5752230.pn. or 6052693.pn. or 5604899.pn.) and pars\$3	USPAT; US-PGPUB; IBM_TDB	2003/09/03 15:01
-	36	((search\$3 or quer\$5) with database with (person\$3 or people)) and ((database with (information or data) with (person\$3 or people)) same ((phone adj number) or (fax adj number) or (social adj security) or (contact adj information) or address)) and (@ad<20010213) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/09/03 23:03
-	44	(instant adj messag\$5) and ((indicat\$3 or determin\$3 or identif\$5) with (online or available) with status) and (@ad<20010213)	USPAT; US-PGPUB; IBM_TDB	2003/09/03 22:25

-	1	"20020111813"	USPAT; US-PGPUB; IBM_TDB	2003/09/03 22:55
-	32	(link\$3 with person\$3 with name with (information or data or address or contact)) and (@ad<20010213) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/09/03 23:07